

Industrial PVC Curtain Solutions

PVC strip curtains, cold room curtains, welding curtains, magnetic PVC door curtains and clear PVC sheet for warehouses, cold rooms, food processing plants and workshops.



Supply focus	Custom PVC curtain systems for B2B industrial buyers
Core products	PVC strip curtain, cold room curtain, welding curtain, clear PVC sheet, magnetic PVC door curtain
RFQ contact	sales@flex-barrier.com https://flex-barrier.com/contact.html

Product Range

FlexBarrier supplies PVC curtain materials and complete systems for practical industrial use. Buyers can order rolls, cut strips or installation-ready hardware kits depending on procurement workflow.

Product	Typical use	Custom options
PVC Strip Curtain	Warehouse doors, loading bays, production partitions	Thickness, width, overlap, roll or full hanging kit
Cold Room Curtain	Chillers, freezers, refrigerated logistics, food storage	Low-temperature grade, higher overlap, cut strips
Welding Curtain	Welding bays, repair workshops, safety screens	Amber, red, green, dark green, sheet or strip format
Clear PVC Sheet	Protective screens, covers, industrial partitions	Roll width, thickness, cut sheet size
Magnetic PVC Door Curtain	Pedestrian access, food prep rooms, commercial entrances	Door size, panel layout, fastening method



Applications

Most buyers choose by working environment first. The application determines material grade, strip width, overlap and mounting hardware.


Application	Recommended direction
Warehouse & loading bay	Clear or ribbed PVC strip curtains with strip width and overlap matched to traffic frequency.
Cold room & freezer	Low-temperature PVC material with higher overlap to reduce cold air exchange.
Food processing	Clear, easy-clean or anti-insect PVC options for clean access and room separation.
Forklift traffic	Ribbed or heavier strips with durable hanging hardware for frequent movement.
Welding area	Colored welding PVC curtain panels or strips for safer workshop separation.

<p>Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Cold room strip curtain' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8.2, greek=0, italic=0, link=[], rise=0, text='Cold room strip curtain', textColor=Color(.372549,.423529,.482353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph</p>	<p>Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Workshop welding curtain' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8.2, greek=0, italic=0, link=[], rise=0, text='Workshop welding curtain', textColor=Color(.372549,.423529,.482353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph</p>
--	--

Specification Guide

Use the table below as a starting point. Final specifications should be confirmed by opening size, traffic type, temperature range and installation method.

Item	Common options
Thickness	1 mm, 2 mm, 3 mm, 4 mm or project-specific thickness
Strip width	100 mm, 200 mm, 300 mm, 400 mm
Material grade	Standard clear, ribbed, low-temperature, anti-insect, anti-static, colored, welding PVC
Supply format	Full rolls, cut strips, punched strips, complete hanging systems
Hardware	Galvanized or stainless hanging rails, plates and mounting accessories
RFQ inputs	Opening width and height, traffic type, temperature range, quantity, delivery country



Factory & Export Capability

FlexBarrier supports repeat procurement with material matching, cutting, punched strips, hardware matching and export packing.

Capability	What it supports
Custom cutting	PVC rolls can be supplied as rolls, cut strips or project lengths.
Hardware matching	Strip width, punched holes, mounting plates and rail format are checked before packing.
Export packing	Rolls, cut strips and hardware kits can be packed for international shipping and repeat orders.
Project support	Share opening size, traffic type and temperature range for recommendation before quotation.

<p>Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Custom cutting and preparation' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8.2, greek=0, italic=0, link=[], rise=0, text='Custom cutting and preparation', textColor=Color(.372549,.423529,.482353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph</p>	<p>Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Export packing and hardware kits' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8.2, greek=0, italic=0, link=[], rise=0, text='Export packing and hardware kits', textColor=Color(.372549,.423529,.482353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph</p>
--	--

RFQ Checklist

Send these details to help FlexBarrier recommend a practical configuration quickly.

Detail	What to provide
Product/application	PVC strip curtain, cold room curtain, welding curtain, clear PVC sheet or magnetic door curtain
Opening size	Width and height, plus mounting position if known
Working condition	Indoor/outdoor use, temperature range, wind or dust exposure
Traffic type	Pedestrian, trolley, pallet jack, forklift or truck movement
Required format	Rolls, cut strips, punched strips or complete hanging system
Order information	Quantity, delivery country, packing preference and target timeline

Contact

Email: sales@flex-barrier.com

Website: <https://flex-barrier.com/>

RFQ form: <https://flex-barrier.com/contact.html>

Fast recommendation note

For cold room and loading bay projects, include temperature range, traffic frequency and site photos whenever possible. For distributors, include preferred roll size, thickness and packing format.